


## Controlling Access

Access to the Lotoclic website can be controlled using the functions included in certain browsers.

### Blocking access to the Lotoclic website in Internet Explorer 6


Access the Content Advisor by choosing 'Internet Options' from the 'Tools' menu.



In the 'Internet Options' dialog box

1. Click the 'Content tab'.
2. Under 'Content Advisor', click 'Enable' if it is not already enabled.

If it is already, click 'Settings'.



## In the 'Content Advisor' dialog box

1. Click the 'Approved Sites' tab.


This tab is used to create a list of websites that you wish to either block or authorize.

2. To block access to the Lotoclic website, type \*lotoclic\* in the 'Allow this website' box and click the 'Never' button.

To authorize access, click the 'Always' button instead.

The list of blocked and authorized sites is displayed in the 'List of approved and disapproved websites' box.

3. Click OK.



4. Click the 'Settings' button to return to the 'Content Advisor' dialog box.

5. Click the 'General' tab.

6. Select the 'Users can see websites that have no rating' check box.



### IMPORTANT: PASSWORD

The first time you use the Content Advisor, you will be asked to provide a password.  
**IMPORTANT:** Make sure to note the password in a safe place for future reference.



## Blocking website access in Firefox

The Firefox browser does not come with an access control function. However, you can download any of a number of free plug-ins that will enable you to block access to specified sites. To do so, visit the [Firefox](https://addons.mozilla.org/en-US/firefox/) website [https://addons.mozilla.org/en-US/firefox/].

*Loto-Québec shall not be held responsible for the use of the above-mentioned access control functions by visitors to this website. The information contained herein is intended for information purposes only. It is the responsibility of users to take the measures they deem necessary to control access to the Lotoclic website or other websites.*